

企业资质



始于2003年，利通科技专注于高分子材料共混、高分子材料改性、液压软管、石油钻采软管、压裂软管、橡塑复合软管、超高压树脂软管、流体连接件、软硬管总成及橡塑密封制品、超高压特种装备的生产、研发与销售，是一家提供流体输送高效解决方案、高分子材料共混物高性能解决方案、页岩油气增产酸化压裂管路高效输送解决



方案、超高压水射流管路输送解决方案、汽车空调管路系统解决方案、氢气加注管路系统解决方案、智慧管网解决方案的国家级高新技术企业。

抢抓机遇，主动作为，多年来，利通科技各项经营指标稳居国内同行业前列，一路成长为拥有“国家级专精特新‘小巨人’企业”、“河南省优秀民营企业”、“中国胶管十强企业”等几十项荣誉称号的知名企业，2021年11月15日，利通科技（股票代码：832225）成为北京证券交易所第一批上市企业，迈向全新的发展阶段。

着眼于流体技术领域，利通科技以“低弯曲、高压、长寿命、多功能”作为产品迭代的重点。主要产品包括各类高、中、低压液压软管、兼具耐磨、耐腐蚀、耐老化、大口径等特性的橡塑复合软管、获多方国际认证的超高压、等通径的石油钻采压裂软管、以高效、安全为主要特点的超高压树脂软管、应用范围广阔的高、中、低压树脂软管、氢气加注软管、汽车空调软管、流体连接件与软硬管总成，品种性能多样的混炼胶、改性树脂和橡塑密封制品以及安全、高效应用于管网病害整体解决方案的超高压水力盾构车等，产品广泛应用于工程机械、农业机械、石油钻采、建筑、清洗、水射流、钢铁、化工、能源、矿山、轨道交通、船舶制造、食品医药、市政管网等领域。

利通科技先后通过的产品认证包括安标（MA·KA）、MSHA、美国石油协会API产品认证、美国船级社ABS型式认可、挪威船级社DNV型式认可、俄罗斯GOST石油认证、劳氏防火认证等，已通过管理体系认证包括质量管理体系（符合GB/T 19001-2016/ISO 9001:2015）、武器装备质量管理体系（符合GJB 9001C-2017



石油天然气行业制造类组织的质量管理体系（符合API Specification Q1）、环境管理体系（符合GB/T 24001-2016/ISO14001:2015）、汽车质量管理体系（符合IATF 16949:2016）、职业健康安全管理体系（符合GB/T 45001-2020/ISO 45001:2018）等。利通科技检测中心自2016年起获CNAS认可，设有脉冲试验室、爆破试验室、耐火试验室、盐雾试验室等二十多个试验室，检测结果被认定具有客观性、准确性及权威性。利通超高压流体创新研究院下设高性能聚合物材料研究所、液压软管研究所、工业软管研究所、石油软管研究院、密封技术研究所、金属材料研究所、橡塑制品研究所、超高压水力盾构装备研究院和产品中试基地，为推动专、精、特、新项目发展和解决行业“卡脖子”难题夯实根基。



自成立以来，利通科技始终坚持“诚信为本，用户第一”的核心价值观，坚定不移的推进“独创引领，利他聚能”的发展战略，紧紧围绕流体技术上下游产业链开展高分子材料共混改性、液压橡塑软管、石油钻采压裂软管、物料输送多功能软管、化学品输送软管、超高压树脂软管、氢气加注软管、汽车空调软管、食品医药软管、流体连接件、橡塑密封制品、超高压特种装备等的技术研发与制造，以绿色发展为己任，以新能源、新材料、新技术创新引领行业高质量发展，服务于全球装备智能制造，为“成为全球流体技术产业领航者”的伟大目标而奋斗。





80米超长硫化罐



Mayer高速钢丝编织生产线



OMA 合股机



全自动混炼胶生产线



流体连接件车间



数控加工中心



高铁门尼粘度仪、硫化仪



化学分析室



意大利比尔玛曲绕式脉冲试验台



臭氧试验机、低温脆性仪



意大利比尔玛脉冲试验台



表面粗糙度轮廓仪



高精度同心度仪



盐雾试验机



三坐标测量机



碳硫分析仪



高精度投影仪



涂层测厚仪



洛氏&布氏硬度仪



爆破试验台



营业执照

(副本) (1-1)

统一社会信用代码
914111007492077407



扫描二维码登录
'国家企业信用
信息公示系统'
了解更多登记、
备案、许可、监
管信息。

名称	漯河利通液压科技股份有限公司	注册资本	壹亿贰仟陆佰玖拾壹万捌仟捌佰玖拾肆圆整
类型	股份有限公司(上市、自然人投资或控股)	成立日期	2003年04月16日
法定代表人	赵洪亮	住所	漯河经济开发区区民营工业园

经营范围
液压成套设备、高中低压橡胶软管及软管组合件、流体连接件、橡胶制品、石油钻采软管及软管连接件、工业软管、橡塑复合软管及软管连接件的生产、研发、销售与服务；流体传动元器件及系统、化工原料及产品（危险化学品、易制毒化学品、监控类化学品除外）的销售；从事货物和技术的进出口业务（国家限定公司经营或禁止进出口的货物和技术除外）。

登记机关



2024 年 06 月 28 日

国家企业信用信息公示系统网址: <http://www.gsxt.gov.cn>

市场主体应当于每年1月1日至 6月30日通过
国家企业信用信息公示系统报送公示年度报告

国家市场监督管理总局监制



河南省

高压橡胶软管工程技术研究中心

河南省科学技术厅

授予：2020年度

技术升级奖

中共漯河经济技术开发区工作委员会
漯河经济技术开发区管理委员会
二〇二一年五月

河南省重大科技专项



2018年12月12日，河南省科技厅组织专家对我公司承担的河南省重大科技专项“耐H₂S耐脉冲超高压石油钻采输送软管的联合研制项目”完成情况进行了考察并以高度评价完成了验收。通过与青岛科技大学的合作，利通完成了API 7K高压水泥软管、API 16C节流和压井软管、API 16D井控软管三个系列石油钻采输送软管的研制。具体内容包括钢丝增强层及软管整体结构设计、石油钻采软管接头设计、软管内衬层、缓冲层及外保护层的研制、大口径软管成型装备开发等。经过“机械工业仪器仪表元器件质量检验所”检测，产品技术指标均符合API 7K、API 16C、API 16D标准要求，主要技术指标国内领先。



中国合格评定国家认可委员会 实验室认可证书

(注册号: CNAS L9168)

兹证明:

漯河利通液压科技股份有限公司检测中心

(法人: 漯河利通液压科技股份有限公司)

河南省漯河市经济开发区东方红路 88 号, 462000

符合 ISO/IEC 17025: 2017《检测和校准实验室能力的通用要求》
(CNAS-CL01《检测和校准实验室能力认可准则》)的要求, 具备承担本
证书附件所列服务能力, 予以认可。

获认可的能力范围见标有相同认可注册号的证书附件, 证书附件是
本证书组成部分。

生效日期: 2022-07-07

截止日期: 2028-07-06



中国合格评定国家认可委员会授权人

中国合格评定国家认可委员会 (CNAS) 经国家认证认可监督管理委员会 (CNCA) 授权, 负责实施合格评定国家认可制度。
CNAS 是国际实验室认可合作组织 (ILAC) 和亚太认可合作组织 (APAC) 的互认协议成员。
本证书的有效性可登陆 www.cnas.org.cn 获认可的机构名录查询。

CNAS认证检测中心



利通技术中心对利通所使用及生产的原材料、半成品及成品的质量检验负责，力求从各个环节杜绝质量问题，为用户提供优质产品。另一方面，利通检测中心完善的硬件设施也为产品研发迭代提供了有利的条件。利通检测中心目前设有：原材料分析室、半成品检测实验室、成品检测实验室、脉冲试验室、爆破试验室、总成拔脱实验室、化学分析室、物理性能实验室、盐雾实验室、耐火试验室、低温实验室、耐磨实验室、阻燃实验室、原子吸收实验室、影像测量室等多个高水准实验室，可实现对混炼胶、钢丝、橡胶软管、连接件、总成等的全方位检测试验，为产品制造与技术创新成果转化提供了保障。

武器装备质量管理体系



武器装备质量管理体系认证证书

注册号: 24 QJ3 0375 R2M

兹证明:

漯河利通液压科技股份有限公司

注册地址/邮编: 河南省漯河经济开发区民营工业园/462000
经营地址/邮编: 河南省漯河经济技术开发区民营工业园/462000

质量管理体系符合:

GJB 9001C-2017

该质量管理体系适用于:

橡胶软管及软管组合件、橡胶密封件的设计、开发、生产和服务; 软管接头的生产和服务


分场所: 河南省漯河市召陵区阳山路与走马塘路交叉口装备制造产业园 1 号/462000 软管接头的生产和服务

(本证书包含 1 个子证书, 注册号为: 24 QJ3 0375 R2M-1)

本证书有效性依据发证机构的定期监督获得保持, 与本公司签发的认证决定通知书合并使用方可有效, 证书信息查询请致电 010-81030801。

初次发证日期: 2018 年 07 月 24 日
发证日期: 2024 年 05 月 06 日
有效期至: 2027 年 05 月 05 日
换证日期: 2024 年 08 月 07 日



总经理: 



由国防科学技术工业委员会委技函〔2001〕55号文授权
由国家国防科技工业局科工人〔2020〕366号文授权

北京军友诚信检测认证有限公司
北京市西城区月坛北街5号(100861)
www.jycxrz.com



军友诚信服务号 军友诚信订阅号

质量管理体系



质量管理体系认证证书

注册号: 070 24 Q3 0141 R1M

兹证明:

漯河利通液压科技股份有限公司

统一社会信用代码: 914111007492077407

注册地址/邮编: 河南省漯河经济开发区民营工业园/462000

经营地址/邮编: 河南省漯河经济技术开发区民营工业园/462000

质量管理体系符合:

GB/T 19001—2016/ISO 9001:2015

该质量管理体系适用于:


橡胶软管及软管组合件、橡胶密封件的设计、开发、生产和服务; 软管接头的生产和服务

分场所: 河南省漯河市召陵区阳山路与走马塘路交叉口装备制造产业园 1 号/462000 软管接头的生产和服务

(本证书包含 1 个子证书, 注册号为: 070 24 Q3 0141 R1M-1)

本证书有效性依据发证机构的定期监督获得保持, 与本公司签发的认证决定通知书合并使用方可有效, 证书信息可扫描左下方的二维码, 或在公司网站 (www.jycxrz.com) 和认 e 云 (全国认证认可信息公共服务平台 <http://cx.cnca.cn>) 查询。

初次发证日期: 2021 年 05 月 31 日
发证日期: 2024 年 05 月 06 日
有效期至: 2027 年 05 月 05 日
换证日期: 2024 年 05 月 06 日

总经理: 









中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C070-M



北京军友诚信检测认证有限公司
北京市西城区月坛北街5号 (100861)



环境管理体系认证



环境管理体系认证证书

漯河利通液压科技股份有限公司

统一社会信用代码: 914111007492077407

注册地址: 中国河南省漯河经济开发区民营工业园

经营地址: 中国河南省漯河经济开发区民营工业园

环境管理体系符合下列标准要求

GB/T24001-2016/ISO14001:2015

认证范围

高中低压橡胶软管及软管组合件、石油钻采软管、橡塑复合软管的研究、生产及相关管理活动

认证证书编号: E2230090

初次发证日期: 2023-06-27

证书有效日期: 2026-06-26

证书签发人



证书有效期内, 每年至少进行一次监督审核, 且两次的审核间隔不得超过 12 个月。获证组织必须定期接受监督审核并经审核合格此证书方继续有效, 每次监督审核合格后, IMS 将在本证书上加贴合格标志。证书信息可在本公司官网 (www.qualityims.com) 查询, 也可在国家认证认可监督管理委员会官方网站 (www.cnca.gov.cn) 查询。



上海英目世认证服务有限公司

上海市长宁区茅台路 868 号 1022 室 联系电话: 021-61859872



监督合格标志确认记录

职业健康安全管理体系认证



职业健康安全管理体系认证证书

漯河利通液压科技股份有限公司

统一社会信用代码: 914111007492077407

注册地址: 中国河南省漯河经济开发区民营工业园

经营地址: 中国河南省漯河经济开发区民营工业园

职业健康安全管理体系符合下列标准要求


GB/T45001-2020/ISO45001:2018

认证范围

高中低压橡胶软管及软管组合件、石油钻采软管、橡塑复合软管的研究、生产及相关管理活动

认证证书编号: O2220109
初次发证日期: 2022-08-30
证书换证日期: 2023-06-27
证书有效日期: 2025-08-29

证书签发人



证书有效期内, 每年至少进行一次监督审核, 且两次的审核间隔不得超过 12 个月。获证组织必须定期接受监督审核并经审核合格此证书方继续有效。每次监督审核合格后, IMS 将在本证书上加贴合格标志。证书信息可在本公司官网 (www.qualityims.com) 查询, 也可在国家认证认可监督管理委员会官方网站 (www.cnca.gov.cn) 查询。



第二次监督
合格标志

监督合格标志确认记录



上海英目世认证服务有限公司

上海市长宁区茅台路 868 号 1022 室 联系电话: 021-61859872

邓白氏



汽车质量管理体系



认证证书

兹证明

漯河利通液压科技股份有限公司

中国河南省漯河市漯河经济开发区民营工业园东方红路888号 462000

经NSF-ISR评估，已建立的质量管理体系符合如下标准：

IATF 16949:2016

认证范围：

橡胶软管、橡胶件、混炼胶的设计和生

删减：无

IATF 证书编号： 0395580
证书编号： C0661291-TS1
证书颁发日期： 09-JUN-2023
注册日期： 21-APR-2021
到期日期*： 20-APR-2024




Sameer Vachani
Senior Director, NSF-ISR

NSF International Strategic Registrations

789 North Dixboro Road, Ann Arbor, Michigan 48105 | (888) NSF-9000 | www.nsf-isr.org

Authorized Registration and/or Accreditation Marks. This certificate is property of NSF-ISR and must be returned upon request.
*Company is subject for confirmation at regular intervals. To verify registration call (888) NSF-9000 or visit our web site at www.nsf-isr.org

石油天然气行业制造类组织的质量管理体系API Q1

 American Petroleum Institute

REGISTRATION NO. Q1-3208

Certificate of Registration

The American Petroleum Institute certifies that the quality management system of

LUOHE LETONE HYDRAULICS TECHNOLOGY CO., LTD.
Private Industrial Park, Economy Development Area
Luohe, Henan
People's Republic of China

has been assessed by the American Petroleum Institute and found to be in conformance with the following:

API Spec Q1, 9th Edition

The scope of this registration and the approved quality management system applies to the

**Design and Manufacture of High Pressure Mud and Cement Hoses,
Flexible Choke and Kill Lines and PTFE Lined Coiled Rubber Hoses**

API approves the organization's justification for excluding
Servicing



API Spec Q1
Registered

Effective Date: MAY 12, 2023
Expiration Date: MAY 12, 2026
Registered Since: MAY 12, 2017

Anchal Liddar
Senior Vice President of Global Industry Services

This certificate is valid for the period specified herein. The registered organization must continually meet all requirements of API Spec Q1, Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry, and the requirements of the Registration Agreement. Registration is maintained and regularly monitored through annual full system audits. This certificate has been issued from API offices located at 200 Massachusetts Avenue, NW Suite 1100, Washington, DC 20001-5571, U.S.A. It is the property of API and must be returned upon request. To verify the authenticity of this certificate, go to www.api.org/compositelist.

2021-164 | 11.21 | Digital

美国石油协会产品认证 (API 7K、API16C)



美国石油协会产品认证 (API 17K)

 American Petroleum Institute  2018-151 Digital	Certificate of Authority to use the Official API Monogram License Number: 17K-0013 ORIGINAL
	The American Petroleum Institute hereby grants to LUOHE LETONE HYDRAULICS TECHNOLOGY CO., LTD. Private Industrial Park, Economy Development Area Luohe, Henan People's Republic of China the right to use the Official API Monogram® on manufactured products under the conditions in the official publications of the American Petroleum Institute entitled API Spec Q1® and API-17K and in accordance with the provisions of the License Agreement. In all cases where the Official API Monogram is applied, the API Monogram shall be used in conjunction with this certificate number: 17K-0013 The American Petroleum Institute reserves the right to revoke this authorization to use the Official API Monogram for any reason satisfactory to the Board of Directors of the American Petroleum Institute. The scope of this license includes the following: Bonded Flexible Pipe QMS Exclusions: Servicing Effective Date: MAY 23, 2024 Expiration Date: MAY 12, 2026 <i>Anchal Liddar</i> Senior Vice President of Global Industry Services To verify the authenticity of this license, go to www.api.org/compositelist.

ABS美国船级社产品型式认可 (LT301、LT302)



Confirmation of Product Type Approval

Company Name: LUOHE LETONE HYDRAULICS TECHNOLOGY CO.,LTD

Address: PRIVATE INDUSTRIAL PARK, ECONOMY DEVELOPMENT AREA ,LUOHE, HENAN PROVINCE, P.R. CHINA 462000 China

Product: Drilling Equipment (Hoses)

Model(s): LT301 - High-pressure Mud and Cement Hoses LT302 - Flexible Choke and Kill lines

Certificate Type	Certificate Number	Issue Date	Expiry Date
Product Design Assessment (PDA)	20-SQ1961039-PDA	10-MAR-2020	09-MAR-2025
Manufacturing Assessment (MA)	19-QD3736006	25-SEP-2019	24-SEP-2024
Product Quality Assurance (PQA)	NA	NA	NA

Tier
5

Intended Service

Offshore Applications: High-pressure Mud and Cement Services and Flexible Choke and Kill Services

Description

LT301 - API 7K High-pressure Mud and Cement Hoses 2"/2.5"/3"/3.5"/4"/5".

LT302 - API 16C Flexible Choke and Kill Hoses 2"/2.5"/3"/3.5"/4".

Ratings

LT301 - API 7K High-pressure Mud and Cement Hoses

Maximum Operating Pressure: 2.5"/3"/3.5"/4"/5": 7,500 PSI (51.7 MPa); 2"/2.5"/3": 10,000 PSI (69 MPa); 3": 15,000 PSI (103.5 MPa).

Temperature Range III: -20 °C to +121 °C (-4 °F to +250 °F).

Flexible Specification Levels: FSL0 (2"/2.5"/3": 10,000 PSI (69 MPa); 3": 15,000 PSI (103.5 MPa)).

Flexible Specification Levels: FSL2 (2.5"/3"/3.5"/4"/5": 7,500 PSI (51.7 MPa)).

LT302 - API 16C Flexible Choke and Kill Hoses

Maximum Operating Pressure: 3.5": 5,000 PSI (34.5 MPa); 2"/2.5"/3"/4": 10,000 PSI (69 MPa); 2"/2.5"/3": 15,000 PSI (103.5 MPa).

Temperature Ratings: -29 °C to +121 °C (-20 °F to +250 °F).

Flexible Specification Levels: FSL3.

ABS美国船级社产品型式认可 (LT681)



Confirmation of Product Type Approval

Company Name: LUOHE LETONE HYDRAULICS TECHNOLOGY CO.,LTD

Address: PRIVATE INDUSTRIAL PARK, ECONOMY DEVELOPMENT AREA ,LUOHE, HENAN PROVINCE, P.R. CHINA 462000 China

Product: Flexible Wire Braided Rubber Hose Assembly

Model(s): LT681-1, LT681-2

Certificate Type	Certificate Number	Issue Date	Expiry Date
Product Design Assessment (PDA)	20-SQ1944230-PDA	19-JAN-2020	18-JAN-2025
Manufacturing Assessment (MA)	19-QD3736006	25-SEP-2019	24-SEP-2024
Product Quality Assurance (PQA)	NA	NA	NA

Tier

3

Intended Service

Hydraulic systems (Hydraulic fluids, water based fluids).

Description

Oil resistant synthetic rubber hoses reinforced with two high tensile steel wire braids, covered with a synthetic rubber sheath.

Ratings

Model LT681-1:

DN6: 225 bar, DN8: 215 bar, DN10: 180 bar, DN12: 160 bar, DN16: 130 bar, DN20: 105 bar, DN25: 88 bar, DN32: 63 bar, DN40: 50 bar, DN50: 40 bar.

Model LT681-2:

DN6: 400 bar, DN8: 350 bar, DN10: 330 bar, DN12: 275 bar, DN16: 250 bar, DN20: 215 bar, DN25: 165 bar, DN32: 125 bar, DN40: 90 bar, DN50: 80 bar.

Operating temperature: -40°C to 100°C

Service Restrictions

1) Unit Certification is not required for this product. If the manufacturer or purchaser requests an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

2) Hoses are to be complete with factory assembled end fittings or factory supplied end fittings installed

ABS MA证书



Certificate Number	19-QD3736006
Effective Date	25-Sep-2019
Expiration Date	24-Sep-2024
ABS Port Office	CN Qingdao Branch Port
Website	www.eagle.org

CERTIFICATE OF Manufacturing Assessment

This is to certify that the Undersigned evaluated the manufacturing quality procedures of

LUOHE LETONE HYDRAULICS TECHNOLOGY CO., LTD.

located at

**Private Industrial Park, Economy Development Area,
Luohe, Henan Province, P.R. China**


The quality monitoring systems during production were verified to reflect the specific surveys, required by the ABS Rules, Guides, the associated Specifications and Standards for the manufacture of

High Pressure Mud and Cement Hoses, Choke and Kill Hoses

This manufacturer presented a sample or specimen of the product, representative of the "type" approved for the purpose of verifying that the "type" has been manufactured in conformance with the Manufacturer's Product Design Assessment(s).

This Certificate is manufacturer and location specific and is subject to annual audits. Consult the ABS Type Approval website to confirm the continued validity of this certificate and the status of products.

The ABS Office issuing the certificate is to be kept updated with changes to the production methods, quality control systems, products and models and any changes made.

 Annual Endorsement First Surveyor 4432802 10. Sep. 2020	 Second Surveyor 4877246 27. July 2021	 Third	 Fourth Li Bao-Wen, Surveyor
---	--	--	---

NOTE: This Certificate evidences compliance with one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping and is issued solely for the use of the Bureau, its committees, its clients or other authorized entities. This Certificate is a representation only that the structure, item of material, equipment, machinery or any other item covered by this Certificate has met one or more of the Rules, guides, standards or other criteria of American Bureau of Shipping as of the date of issue. Parties are advised to review the Rules for the scope and conditions of classification and to review the survey records for a fuller description of any restrictions or limitation on the vessel's service or surveys. The validity, applicability and interpretation of this Certificate is governed by the Rules and standards of American Bureau of Shipping who shall remain the sole judge thereof. Nothing contained in this Certificate or in any notation made in contemplation of this Certificate shall be deemed to relieve any designer, builder, owner, manufacturer, seller, supplier, repairer, operator or other entity of any warranty express or implied.

Certificate of Manufacturing Assessment Rev.4

Page 1 of 1

DNV挪威船级社产品认证 (LTSA699)

DNV·GLCertificate No:
TAP000026E

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Flexible Hoses of Non-Metallic Material with Permanently Fitted Couplingswith type designation(s)
LTSA699-1BC, LTSA699-2BC

Issued to

Luohe Letone Hydraulics Technology Co.,Ltd.
Luohe,, Henan Province,P.R., China

is found to comply with

DNV GL rules for classification – Ships Pt.4 Ch.6 Piping systems
DNV GL class programme DNVGL-CP-0183 – Type approval – Flexible hoses

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Type:	Temperature range:	Max. working press.:	Sizes:
LTSA699-1BC	-40°C to +120°C	40 to 280 bar	see certificate
LTSA699-2BC	-40°C to +120°C	70 to 420 bar	see certificate

Issued at **Hamburg** on **2021-02-19**This Certificate is valid until **2026-02-18**.DNV GL local station: **Wuhan NB & CMC**Approval Engineer: **Christof Kotzmann-Bendrien**for **DNV GL**
Digitally Signed By: **Drews, Olaf**
Location: **DNV GL SE Hamburg, Germany**
Signing Date: **2021-02-19****Olaf Drews**
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Form code: TA 251

Revision: 2020-02

www.dnvgl.com

Page 1 of 4

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

矿用产品安全标志证书



安全标志编号: MBE070825



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 四层钢丝缠绕中压液压支架软管
规格型号: 4SP-6.3、10、12.5、16、19、25、31.5、38、51
产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2020.09.09 有效期至: 2025.09.08
备 注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零元件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:

发证部门:





安全标志编号: MEE070826




矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 三层钢丝编织液压支架软管
规格型号: RB3-6.3、8、10、12.5、16、19、25、31.5、38、51
产品标准及技术条件: GB/T 3683-2011 MT/T 98-2006
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2020.09.09 有效期至: 2025.09.08
备 注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零元部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE070827



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 二层钢丝编织液压支架软管

规格型号: RB2-6.3、8、10、12.5、16、19、25、31.5、38、51

产品标准及技术条件: GB/T 3683-2011 MT/T 98-2006

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2020.09.09


有效期至: 2025.09.08

备注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE100765




矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 四层钢丝缠绕高压液压支架软管
规格型号: 4SH-19、25、31.5、38、51
产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2020.09.09 有效期至: 2025.09.08
备 注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号：MEE130827




矿用产品安全标志证书

持证人： 漯河利通液压科技股份有限公司
注册地址： 河南省漯河经济开发区民营工业园
生产单位： 漯河利通液压科技股份有限公司
生产地址： 河南省漯河经济开发区民营工业园
产品名称： 多层钢丝缠绕苛刻条件下高压液压软管
规格型号： R13-19、25、31.5、38、51
产品标准及技术条件： GB/T 10544-2022 MT/T 98-2006
适用范围： 严格按煤矿安全有关规定使用。
发证日期： 2023年11月09日 有效期至： 2028年11月08日
备 注：

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序，符合有关要求，特发此证。本证书的有效性需通过持证后监督获得保持，相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人：



发证部门：





安全标志编号: MEE230702



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 一层钢丝编织液压软管
规格型号: RB1-6.3、8、10、12.5、16、19、25、31.5、38、51
产品标准及技术条件: GB/T 3683-2011 MT/T 98-2006
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2023年06月20日 有效期至: 2028年06月19日
备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零元部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:

王利峰

发证部门:





安全标志编号: MEE211065



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 多层钢丝缠绕苛刻条件下高压液压软管

规格型号: R13-63、76

产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006 Q/LLT 001-2021

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2021.08.25

有效期至: 2026.08.24

备注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人: 

发证部门:





安全标志编号: MEE211066



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 二层钢丝编织液压支架软管
规格型号: RB2-63
产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2021.08.25 有效期至: 2026.08.24
备 注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零元部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE211067



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 多层钢丝缠绕苛刻条件下高压液压软管

规格型号: R13-89

产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006 Q/LLT 001-2021

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2021.08.25

有效期至: 2026.08.24

备 注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零元部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:

发证部门:





安全标志编号: MEE211068



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 多层钢丝缠绕苛刻条件下高压液压软管
规格型号: R13-102
产品标准及技术条件: GB/T 10544-2013 MT/T 98—2006 Q/LLT 001-2021
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2021.08.25 有效期至: 2026.08.24
备注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE211069



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 二层钢丝编织液压支架软管

规格型号: RB2-102

产品标准及技术条件: GB/T 3683-2011 MT/T 98-2006 Q/LLT 001-2021

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2021.08.25

有效期至: 2026.08.24

备注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零元部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE211070



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 二层钢丝编织液压支架软管

规格型号: RB2-89

产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2021.08.25

有效期至: 2026.08.24

备注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零元部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE211071



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 二层钢丝编织液压支架软管

规格型号: RB2-76

产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2021.08.25

有效期至: 2026.08.24

备注: /

上述产品经履行矿用产品安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性通过持证后监督获得保持,相关信息及主要零部件等信息可登录www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE221308



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 四层钢丝缠绕中压液压支架软管
规格型号: 4SP-63、76

产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006 Q/LT-04-2022

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2022年11月07日 有效期至: 2027年11月06日

备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零元部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MEE220884



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 多层钢丝缠绕苛刻条件下超高压液压软管
规格型号: R15-63、76
产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006 Q/LT-02-2022
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2022年09月02日 有效期至: 2027年09月01日
备 注:

上述产品经履行安全标志审核发放实施规则ABQZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:

发证部门:





安全标志编号: MEE220885



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 多层钢丝缠绕苛刻条件下超高压液压软管
规格型号: R15-10、12.5、16、19、25、31.5、38、51
产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006
适用范围: 严格按煤矿安全有关规定使用。
发证日期: 2022年09月02日 有效期至: 2027年09月01日
备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220001



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 二层钢丝编织液压支架软管
规格型号: RB2-76

产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日 有效期至: 2026年08月24日

备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE230002



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 一层钢丝编织液压软管
规格型号: RB1-6.3、8、10、12.5、16、19、25、31.5、38、51
产品标准及技术条件: GB/T 3683-2011 MT/T 98-2006
适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。
发证日期: 2023年06月20日 有效期至: 2028年06月18日
备 注:

上述产品经履行安全标志审核发放实施规则AQBZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零元部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:

王利军

发证部门:





安全标志编号: KEE220003



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 二层钢丝编织液压支架软管

规格型号: RB2-63

产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日

有效期至: 2026年08月24日

备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220004



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 多层钢丝缠绕苛刻条件下高压液压软管
规格型号: R13-102

产品标准及技术条件: GB/T 10544-2013 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日 有效期至: 2026年08月24日

备注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220005



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 二层钢丝编织液压支架软管
规格型号: RB2-102

产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日 有效期至: 2026年08月24日

备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220007



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 多层钢丝缠绕苛刻条件下高压液压软管
规格型号: R13-89

产品标准及技术条件: GB/T 10544-2013 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日

有效期至: 2026年08月24日

备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220008



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 多层钢丝缠绕苛刻条件下高压液压软管

规格型号: R13-63、76

产品标准及技术条件: GB/T 10544-2013 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日

有效期至: 2026年08月24日

备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零元部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220009



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 二层钢丝编织液压支架软管
规格型号: RB2-89

产品标准及技术条件: GB/T 3683-2011 MT/T 98—2006 Q/LLT 001-2021

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年01月10日 有效期至: 2026年08月24日

备 注:

上述产品经履行安全标志审核发放实施规则AQBZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220011



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 多层钢丝缠绕苛刻条件下超高压液压软管
规格型号: R15-63、76
产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006 Q/LT-02-2022
适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。
发证日期: 2022年09月02日 有效期至: 2027年08月31日
备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KEE220018



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 四层钢丝缠绕中压液压支架软管

规格型号: 4SP-63、76

产品标准及技术条件: GB/T 10544-2013 MT/T 98-2006 Q/LT-04-2022

适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。

发证日期: 2022年11月07日

有效期至: 2027年11月05日

备注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-EEI-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零元部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: KIE220023



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司
注册地址: 河南省漯河经济开发区民营工业园
生产单位: 漯河利通液压科技股份有限公司
生产地址: 河南省漯河经济开发区民营工业园
产品名称: 矿用喷浆橡胶软管
规格型号: XJKJ-1.5/57
产品标准及技术条件: HG/T 2490-2011 MT/T 191-1989 Q/LT-03-2022
适用范围: 严格按《金属非金属矿山安全规程》有关规定使用。
发证日期: 2022年09月20日 有效期至: 2027年09月18日
备 注:

上述产品经履行安全标志审核发放实施规则ABGZ-MA-IEA-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过特证后监督获得保持,相关信息及主要零元部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:





安全标志编号: MIE220403



矿用产品安全标志证书

持证人: 漯河利通液压科技股份有限公司

注册地址: 河南省漯河经济开发区民营工业园

生产单位: 漯河利通液压科技股份有限公司

生产地址: 河南省漯河经济开发区民营工业园

产品名称: 煤矿用喷浆橡胶软管

规格型号: XJKJ-1.5/57

产品标准及技术条件: HG/T 2490-2011 MT/T 191-1989 Q/LT-03-2022

适用范围: 严格按煤矿安全有关规定使用。

发证日期: 2022年09月20日

有效期至: 2027年09月19日

备注:

上述产品经履行安全标志审核发放实施规则ABQZ-MA-IEA-2017-01规定的合格评定程序,符合有关要求,特发此证。本证书的有效性需通过持证后监督获得保持,相关信息及主要零部件等信息可通过网络查询可登陆www.aqbz.org或扫描本证书二维码查询。



签发人:



发证部门:



劳氏防火检测报告(API 16D)

Certificate no: CTR1801394-1
Page 1 of 1

Fire Test Certificate

Project: API 16D Fire Test

Client: Luotie Letone Hydraulic Technology Co., Ltd.

Office: Shanghai

Client's Order Number: Q15-KW-001 Rev.0

Date: 18 November 2019

Order Status: Item Complete

Inspection Date: 21 November 2019

Final: 21 November 2019

This certificate is issued to Luotie Letone Hydraulic Technology Co., Ltd. at their request the undersigned surveyor did attend at No. 242, Baohai Street, Baosheng District, Shanghai City, P.R. China for the purpose of witnessing the fire test in accordance with API Specification 16D Third Edition, November 2016.

1. Description of Test BOP Control Hose (Ref. to drawing No. BOP Hose 14" 5000PSI Date 10.23.2018)

BOP Control Hose Manufacturer	Luotie Letone Hydraulic Technology Co., Ltd.
BOP Control Hose Type	1" 5000
NPS & Class	14" & 5000 Psi
Serial No.	1735011

2. Other Qualification

This test certificate is based on the test procedure of section 14.6.2 of the API Specification 16D Third Edition, November 2016. Test details refer to test report No. 20190204 dated 2019.12.2.

Shanghai
Surveyor to Luotie Letone Hydraulic Technology Co., Ltd.
a member of the Letone's Register group
Luotie Letone Hydraulic Technology Co., Ltd.

Luotie Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents, individually and collectively, referred to in this clause as "Luotie Register". Luotie Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document.

Form 1122 (2017.07)

Certificate no: CTR1801394-2
Page 1 of 1

Fire Test Certificate

Project: API 16D Fire Test

Client: Luotie Letone Hydraulic Technology Co., Ltd.

Office: Shanghai

Client's Order Number: Q15-KW-001 Rev.0

Date: 18 November 2019

Order Status: Item Complete

Inspection Date: 21 November 2019

Final: 21 November 2019

This certificate is issued to Luotie Letone Hydraulic Technology Co., Ltd. at their request the undersigned surveyor did attend at No. 242, Baohai Street, Baosheng District, Shanghai City, P.R. China for the purpose of witnessing the fire test in accordance with API Specification 16D Third Edition, November 2016.

1. Description of Test BOP Control Hose (Ref. to drawing No. BOP Hose 14" 5000PSI Date 10.23.2018)

BOP Control Hose Manufacturer	Luotie Letone Hydraulic Technology Co., Ltd.
BOP Control Hose Type	1" 5000
NPS & Class	14" & 5000 Psi
Serial No.	1915011

2. Other Qualification

This test certificate is based on the test procedure of section 14.6.2 of the API Specification 16D Third Edition, November 2016. Test details refer to test report No. 20190204 dated 2019.12.2.

Shanghai
Surveyor to Luotie Letone Hydraulic Technology Co., Ltd.
a member of the Letone's Register group
Luotie Letone Hydraulic Technology Co., Ltd.

Luotie Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents, individually and collectively, referred to in this clause as "Luotie Register". Luotie Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document.

Form 1122 (2017.07)

Certificate no: CTR1801394-3
Page 1 of 1

Fire Test Certificate

Project: API 16D Fire Test

Client: Luotie Letone Hydraulic Technology Co., Ltd.

Office: Shanghai

Client's Order Number: Q15-KW-001 Rev.0

Date: 18 November 2019

Order Status: Item Complete

Inspection Date: 21 November 2019

Final: 21 November 2019

This certificate is issued to Luotie Letone Hydraulic Technology Co., Ltd. at their request the undersigned surveyor did attend at No. 242, Baohai Street, Baosheng District, Shanghai City, P.R. China for the purpose of witnessing the fire test in accordance with API Specification 16D Third Edition, November 2016.

1. Description of Test BOP Control Hose (Ref. to drawing No. BOP Hose 14" 5000PSI Date 10.23.2018)

BOP Control Hose Manufacturer	Luotie Letone Hydraulic Technology Co., Ltd.
BOP Control Hose Type	1" 5000
NPS & Class	14" & 5000 Psi
Serial No.	1735011

2. Other Qualification

This test certificate is based on the test procedure of section 14.6.2 of the API Specification 16D Third Edition, November 2016. Test details refer to test report No. 20190204 dated 2019.12.2.

Shanghai
Surveyor to Luotie Letone Hydraulic Technology Co., Ltd.
a member of the Letone's Register group
Luotie Letone Hydraulic Technology Co., Ltd.

Luotie Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents, individually and collectively, referred to in this clause as "Luotie Register". Luotie Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document.

Form 1122 (2017.07)

Certificate no: CTR1801394-4
Page 1 of 1

Fire Test Certificate

Project: API 16D Fire Test

Client: Luotie Letone Hydraulic Technology Co., Ltd.

Office: Shanghai

Client's Order Number: Q15-KW-001 Rev.0

Date: 18 November 2019

Order Status: Item Complete

Inspection Date: 21 November 2019

Final: 21 November 2019

This certificate is issued to Luotie Letone Hydraulic Technology Co., Ltd. at their request the undersigned surveyor did attend at No. 242, Baohai Street, Baosheng District, Shanghai City, P.R. China for the purpose of witnessing the fire test in accordance with API Specification 16D Third Edition, November 2016.

1. Description of Test BOP Control Hose (Ref. to drawing No. BOP Hose 14" 5000PSI Date 10.23.2018)

BOP Control Hose Manufacturer	Luotie Letone Hydraulic Technology Co., Ltd.
BOP Control Hose Type	1" 5000
NPS & Class	14" & 5000 Psi
Serial No.	1735011

2. Other Qualification

This test certificate is based on the test procedure of section 14.6.2 of the API Specification 16D Third Edition, November 2016. Test details refer to test report No. 20190204 dated 2019.12.2.

Shanghai
Surveyor to Luotie Letone Hydraulic Technology Co., Ltd.
a member of the Letone's Register group
Luotie Letone Hydraulic Technology Co., Ltd.

Luotie Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents, individually and collectively, referred to in this clause as "Luotie Register". Luotie Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document or for any loss, damage or expense caused by reliance on the information or advice in this document.

Form 1122 (2017.07)

俄罗斯 GOST 认证

СИСТЕМА СЕРТИФИКАЦИИ ГОСТ Р ФЕДЕРАЛЬНОЕ АГЕНТСТВО ПО ТЕХНИЧЕСКОМУ РЕГУЛИРОВАНИЮ И МЕТРОЛОГИИ	
	СЕРТИФИКАТ СООТВЕТСТВИЯ
№ РОСС CN.HA33.H00615 Срок действия с 15.01.2019 по 14.01.2022 № 0420538	
ОРГАН ПО СЕРТИФИКАЦИИ per. № RA.RU.11HA33 Общества с ограниченной ответственностью "Коммерческий центр "ПАРКОВЫЙ". Место нахождения: 107076, РОССИЯ, город Москва, ул. Стромынка, д. 19, корп. 2, офис 128, фактический адрес: 127018, РОССИЯ, город Москва, проезд Марьиной Рощи 3-й, д. 40, строение 1, корпус 11, офис 501, телефон: 4953357979, электронная почта: parkovy@inbox.ru. Аттестат аккредитации № RA.RU.11HA33, выдан 15.02.2018 года	
ПРОДУКЦИЯ Резиновый шланг: API 7K, API 16C, API 16D. Торговая марка: LETONE. Серийный выпуск	КОД ОК
СООТВЕТСТВУЕТ ТРЕБОВАНИЯМ НОРМАТИВНЫХ ДОКУМЕНТОВ по спецификации изготовителя	КОД ТН ВЭД 4009210000
ИЗГОТОВИТЕЛЬ LUONE LETONE HYDRAULICS TECHNOLOGY CO.,LTD.. Место нахождения и адрес места осуществления деятельности: No.88 Dongfanghong Road, Private Industrial Park, Economy Development Area, Luohe city, Henan Province, China, Китай	
СЕРТИФИКАТ ВЫДАН LUONE LETONE HYDRAULICS TECHNOLOGY CO.,LTD.. Место нахождения и адрес места осуществления деятельности: No.88 Dongfanghong Road, Private Industrial Park, Economy Development Area, Luohe city, Henan Province, China, Китай	
НА ОСНОВАНИИ Протокола испытаний № 04696-ИЛЗ/01-2019 от 15.01.2019г. Выдан Испытательной лабораторией ООО "ЭНИГМА" атт.акк. РОСС RU.31112.ИЛ0023	
ДОПОЛНИТЕЛЬНАЯ ИНФОРМАЦИЯ	
	Руководитель органа (заместитель руководителя) Эксперт
	А.А. Никитин инициалы, фамилия С.Е. Калыхалов инициалы, фамилия
Сертификат не применяется при обязательной сертификации	

АО «ПЭИСК», Москва, 2018. В-1 изданием № 05-05-003-01-00 РБ, тел. (495) 725 4742, www.psk.ru

美国MSHA认证

U.S. Department of Labor

Mine Safety and Health Administration
Approval and Certification Center
765 Technology Drive
Triadelphia, West Virginia 26059



In Reply Refer To:
MSHA:A&CC:PAR 105087
Record File No.IC-306

October 6, 2014

Mr. Yong Zhang
Luohe Letone Hydraulics Technology Co., Ltd.
Private Industrial Park, Economy Development Area
Luohe City, Henan Province
CHINA

Dear Mr. Yong Zhang:

MSHA completed the review of an application from the Luohe Letone Hydraulics Technology Co., Ltd. The application requested evaluation of hydraulic hose cover. The application was dated April 8, 2014, and carried Company Code No. 9701.

This construction and the information provided meet the requirements of the Standard Application Procedures for Acceptance of Flame-Resistant Solid Products Taken into Mines.

The following requirements apply to this acceptance:

1. Acceptance Marking No. "MSHA IC-306" must be permanently marked on the product with letters at least 1/4" high and at intervals not exceeding 3 feet. Other types of permanent markings may be used with prior approval of MSHA.
2. The nominal, accepted material thickness is 0.3 cm.
3. You are obligated, as the manufacturer, to maintain the quality of the product to assure the requirements of this acceptance are being met.
4. Any change in product composition or in any other factors that may affect this acceptance must not be made without prior authorization from MSHA.
5. We have the right to revoke this acceptance for cause at any time.
6. We must be notified of any transfer of production or ownership of this product.
7. The material is accepted as cover for hydraulic hose.

An invoice for the cost of processing this action will be forthcoming.

莱茵检测报告

CERTIFICATE of Conformity		 TÜVRheinland
Registration No.:	AK 50342132 0001	
Report No.:	17707161 001	
Holder:	Luohe Letone Hydraulics Technology Co., Ltd PRIVATE INDUSTRIAL PARK ECONOMY DEVELOPMENT AREA, LUOHE CITY, HENAN 462000 P.R. China	
Product:	<u>Hose</u> (Rubber hoses for measured fuel dispensing systems)	
Identification:	Type Designation: Type 1 Sample No. : WL2016-04-173 Remark: Refer to test report 17707161 001 for details.	
Tested acc. to:	EN 1360:2013	
The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the assessment requirement mentioned above. This certificate does not imply assessment of the production of the product and does not permit the use of a TÜV Rheinland mark of conformity.		
Date	06.05.2016	Certification Body  Ling Xiao 
TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg		

100002 & 04.38 © TÜV. TÜV and TUV are registered trademarks. Utilization and application requires prior approval.

CC认证

Form QAT_10-M05, version 02, effective since October 07th, 2022

VERIFICATION



No. 3J240628.LLHTO15

Verification's
Holder:

Luohe Letone Hydraulics Technology Co.,Ltd.
Private Industrial Park, Economy Development Area, Luohe City,
Henan Province, China

Verification
ECM Mark:



Product:
Model(s):

Rubber hoses and hose assemblies
1ST, 2ST, 1SN, 2SN, 4SP, 4SH, R12, R13, 1SC, 2SC

Verification to:

Standard:
EN 853:2015, EN 856+AC-2019, EN 857:2015,
EN 12115-2021

related to CE Directive(s):
2014/68/EU (Pressure Equipment)

This document has been issued in accordance with the European Commission's note of 14 September 2022 ref. Ares (2022) 6342894 concerning voluntary certifications with non-notified procedure and for products intended for third countries outside the EU market.

The manufacturer has voluntarily decided to submit its documents concerning the above-mentioned product for verification. Ente Certificazione Macchine confirms that the documentation made available and immediately returned to it, as containing sensitive data, meets the essential requirements of the above-mentioned directives. The verification activity carried out exclusively concerned the technical documentation and no verification was carried out on the product. This document cannot replace the EC Declaration of Conformity. The above conformity mark can be affixed to the technical documentation in accordance with the ECM regulation on its issue and use, published on the website www.entecerma.it

Issuance date: 28 June 2024

Expiry date: 27 June 2029

For online check:



Approver
Ente Certificazione Macchine
Legal Representative
Luca Bedonni



Ente Certificazione Macchine Srl

Via Ca' Bella, 243 – Loc. Castello di Serravalle – 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 📠 +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it

شهادة – 증명서 – Verification – 验证 – Верификация

成为高质量的价值创造者 有温度的幸福缔造者



全国服务热线：400-6191-666

电话：0395-2610009

传真：0395-2610007

网址：WWW.LETONE.CN

邮箱：info@letone.cn

地址：国家·漯河经济技术开发区东方红路88号



利通官网



微信公众号